

# **EGR** DECOR POLISH



**CLEANING &  
RESTORING  
STYLELITE®  
& HIGH GLOSS  
ACRYLIC  
SURFACES**



## Important Polishing Tips:

Before attempting to clean or remove scratches, always make sure the plastic is cool to the touch. Use a liberal amount of plastic cleaner to safely remove surface dust and dirt. In addition, test scratch removers in a small, inconspicuous area for compatibility. Some plastics are coated with a thin film which may be damaged by the abrasives in the polish. EGR DECOR POLISH No. 2 and No. 3 are not recommended for use on eyeglass lenses.

For best results, use a soft clean cloth that is nonabrasive, absorbent, lint free and disposable. (Reusable cloths can retain abrasive particles and cause damage.) Avoid using polyester or rayon wipes.

If the damage is fairly large or badly damaged, a power buffer may be used with EGR DECOR POLISH No. 2 and No. 3. Use a clean wool or cotton bonnet and operate the buffer at a low speed, approximately 1,000 RPM, to avoid overheating the plastic. Each polish should be applied with a separate, clean bonnet.

# 1

## EGR DECOR POLISH No. 1 **CLEAN & PROTECT**

Gently cleans Stylelite® and all high gloss acrylic surfaces without scratching. Leaves a lustrous shine that resists fogging, repels dust, and eliminates static.

- Resists finger print marks
- Leaves a smooth, clean, greaseless shine
- Contains no abrasives or harsh chemicals



1. If the surface is extremely dirty, apply EGR DECOR POLISH No. 1 liberally and wipe using long, sweeping strokes. Do not use pressure because dirt particles may scratch the plastic.
2. Reapply using short, circular strokes with a clean portion of the cloth.
3. When surface is thoroughly clean and uniformly covered, buff to a slippery glaze with a clean portion of the cloth. Surfaces buffed to a high glaze are more resistant to dust and future scratching.
4. Reapply EGR DECOR POLISH No. 1 regularly to maintain the antistatic, smudge and scratch resistant properties.

# 2

## EGR DECOR POLISH No. 2 RESTORE & REFINISH

Removes fine scratches, haziness and abrasions from StyleLite® and most high gloss plastics. With repeated use, EGR DECOR POLISH No. 2 restores faded and discoloured plastics.



- Buffs out quickly
- Removes the damage instead of filling it in
- Not recommended for use on coated plastics

1. If the surface is dirty, clean with EGR DECOR POLISH No. 1 before applying EGR DECOR POLISH No. 2.
2. Shake well. Test in an inconspicuous area.
3. Apply EGR DECOR POLISH No. 2 liberally. Using a clean, soft cloth, polish with a firm back-and-forth motion at right angles to the scratches. Keep the cloth saturated with polish at all times. Greater pressure may be required on deeper scratches.
4. When the worst scratches have been polished out, reapply EGR DECOR POLISH No. 2 uniformly in a circular motion to the entire surface using short, circular strokes and light pressure. Allow to dry to a light haze.
5. Using a clean portion of the cloth, buff the surface to a slippery glaze using firm, short strokes. This procedure is imperative in order to achieve the best results.
6. For heavy scratches, multiple applications of EGR DECOR POLISH No.2 or an application of EGR DECOR POLISH No. 3 may be required.
7. To remove residue, follow with EGR DECOR POLISH No. 1.

# 3

## EGR DECOR POLISH No. 3 REPAIR & PREPARE

Removes heavy scratches and abrasions from StyleLite® and most acrylic surfaces. Use when damage is too severe to be restored with EGR DECOR POLISH No. 2.

- Requires use of EGR DECOR POLISH No. 2 for final finishing
- Not recommended for use on coated plastics



1. Remove surface dirt and dust with EGR DECOR POLISH No. 1.
2. Shake well. Test in an inconspicuous area.
3. Apply EGR DECOR POLISH No. 3 liberally. Using clean, soft cloth, polish with a firm back-and-forth motion at right angles to the scratches. Keep the cloth saturated with polish at all times.
4. Continue polishing until only fine scratches remain. **IMPORTANT:** Using cloth, remove all remaining polish.
5. With clean cloth, apply EGR DECOR POLISH No. 2 in a circular motion uniformly to entire surface. Polish using light pressure until dried to a light haze.
6. Using a clean cloth, buff the surface clean.
7. To remove residue, follow with EGR DECOR POLISH No. 1.

**EGR DECOR POLISHES  
ARE RECOMMENDED FOR USE ON:**

- **StyleLite®**
- **High Gloss Acrylic Surfaces**

NOT recommended for use on coated plastics

*EGR DECOR POLISH No. 1 and No. 2 have been found to be nontoxic orally, nonirritating to the skin, nonirritating to the eye within the meaning of the Federal Hazardous Substance Act, and nonflammable. EGR DECOR POLISH No. 3 has been found to be nontoxic orally, mildly irritating to the skin, minimally irritating to the eye within the meaning of the F.H.S.A., and nonflammable.*



For your nearest Distributor call : 1800 347 347

[www.stylelite-aca.com](http://www.stylelite-aca.com)